



SAMPRA

APPORTE LE LUXE À VOTRE VIE...

CATALOGUE

YEAR 2024




SAMPRA
APPORTE LE LUXE À VOTRE VIE...

TABLE OF CONTENT

PAGE 3-5	TELEVISION
PAGE 6-7	REFRIGERATOR
PAGE 8-9	CHEST FREEZER
PAGE 10-12	AIR CONDITIONER
PAGE 13-16	FAN
PAGE 17-18	WASHING MACHINE & CLOTH DRYER
PAGE 19-23	COOKING RANGE
PAGE 24	ELECTRIC KETTLE
PAGE 25-26	WATER DISPENSER AND PURIFIER
PAGE 27-28	BLUETOOTH SPEAKER
PAGE 29-30	PROJECTOR SCREEN
PAGE 31-34	ELECTRIC PRODUCTS
PAGE 35	LED LIGHTS & BULBS
PAGE 36	SOLAR POWER BANK
PAGE 37-39	SAFE LOCKER
PAGE 40	MULTI CURRENCY COUNTING MACHINE
PAGE 41-42	LAPTOP BAG
PAGE 43-44	CURTAIN RODS
PAGE 45-49	HOME & BED LINEN

TELEVISION



TELEVISION



SP-JP-32NS-HD

TV32HD DLED TV

- Panel Size: 32 INCHES
- Resolution: 1366 x 768
- Power Consumption: 60W
- Power Supply: 100-240V - 50/60 HZ
- A+ Grade Panel / Intelligent Sensor
- 2 Round Pin VDE plug
- Frameless Screen (black body)



SP-JP-32S-HD

TV32HD DLED SMART TV

- Panel Size: 32 INCHES / SMART (1G+8G)
- Resolution: 1366 x 768
- Power Consumption: 60W
- Power Supply: 100-240V - 50/60 HZ
- CVT Board / E-Share
- A+ Grade Panel (9:1) / 2 Round Pin VDE Plug
- Frameless Screen (black body)




SP-JP-43S-FHD

TV43FHD DLED SMART TV

- Panel Size: 43 INCHES / SMART (1G+8G)
- Resolution: 3840 x 2160
- Power Consumption: 85W
- Power Supply: 100-240V - 50/60 HZ
- CVT Board / E-Share
- A+ Grade Panel (9:1) / 2 Round Pin VDE Plug
- Frameless Screen (blackbody)
- Thunder Speaker



TELEVISION



SP-JP-43S-UHD

TV43UHD DLED SMART TV

- Panel Size: 43 INCHES / SMART (1.5G+8G)
- Resolution: 3840 x 2160
- Power Consumption: 85W
- Screen Aspect Ratio: 16:9
- Power Supply: 100-240V - 50/60 HZ
- CVT board / E-Share
- A+ Grade Panel (9:1)
- 2 Round Pin VDE Plug
- Frameless Screen (blackbody)
- Thunder Speaker



SP-JP-55S-UHD

TV55UHD DLED SMART TV

- Panel Size: 55 INCHES / SMART (1.5G+8G)
- Resolution: 3840 x 2160
- Power Consumption: 160W
- Screen Aspect Ratio: 16:9
- Power Supply: 100-240V - 50/60 HZ
- CVT board / E-Share
- A+ Grade Panel (9:1) / 2 Round Pin VDE Plug
- Frameless Screen (blackbody)
- Thunder Speaker / Voice Command Available



SP-JP-65S-UHD

TV65UHD DLED SMART TV

- Panel Size: 65 INCHES / SMART (1.5G+8G)
- Resolution: 3840 x 2160
- Power Consumption: 220W
- Screen Aspect Ratio: 16:9
- Power Supply: 100-240V - 50/60 HZ
- CVT Board / E-Share
- A+ Grade Panel (9:1) / 2 Round Pin VDE Plug
- Frameless Screen (blackbody)
- Thunder Speaker / Voice Command Available



REFRIGERATOR



REFRIGERATOR



SP-BC-50W MINI REFRIGERATOR 50L

- Climate Classification: ST
- Rated Power: 58w
- Power Consumption: 0.4kw.h/24h
- Product Size: 450*450*510mm

AVAILABLE COLORS:  

SPECIFICATION:

Temperature: 0-10°C
Working Voltage: 220V, 50HZ
Refrigerant: R600a
Lock & Key
Inside Condenser
Energy Class: B
Power Cord: 2 Round Pin VDE Plug
CFC Free Environmental Protection
Mini Freezer Inside
Interior Light & Handle



SP-BC-98AW REFRIGERATOR 98L

- Climate Classification: T
- Rated Power: 55w
- Power Consumption: 0.42kw.h/24h
- Manual Defrost
- Glass Shelf with Plastic Beading
- Product Size: 450*450*790 mm

AVAILABLE COLORS:  



SP-BCD-142AW DOUBLE DOOR REFRIGERATOR 142L

- Freezing Volume: 38L
- Refrigeration Volume: 104L
- Energy Class: B
- Rated Power: 60w
- Manual Defrost
- Glass Shelf with Plastic
- Product Size: 450*489*1222 mm

AVAILABLE COLORS:  

SPECIFICATION:

Climate Classification: T
Temperature: 0-10°C/-18°C
Working Voltage: 220V, 50HZ
Refrigerant: R600a
Lock & Key
Outside Condenser
Power Consumption: 0.57kw.h /24h
Power Cord: 2 Round Pin VDE Plug
CFC Free Environmental Protection
Interior Light & Handle



SP-BCD-225 DOUBLE DOOR REFRIGERATOR 225L

- Freezing Volume: 51L
- Total Volume: 225L
- Fridge Capacity: 174L
- Energy Class: G
- Rated Power: 80w
- External Condenser
- Glass Shelf & Wire Shelf
- Product Size: 525*545*1440 mm

AVAILABLE COLORS:   



SPD-180H DOUBLE DOOR REFRIGERATOR 179L

- Freezer Capacity: 62L
- Fridge: 117L
- Voltage: 220V /50HZ
- Climate Type: N/ST/T
- Fridge Inject Quantity: R600a
- Recessed Handle & without Lock
- Outside Condenser
- LED Light & VDE Plug
- Temperature Control: Mechanical
- Defrost: Manual
- Product Size: W510*D530*H1521MM

AVAILABLE COLORS:  



SPD-270H DOUBLE DOOR REFRIGERATOR 263L

- Freezer Capacity: 45L
- Fridge: 218L
- Voltage: 220V /50HZ
- Climate Type: N/ST/T
- Fridge Inject Quantity: R600a
- Recessed Handle & without Lock
- Outside Condenser
- LED Light & VDE Plug
- Temperature Control: Mechanical
- Defrost: Manual
- Product Size: W548*D560*H1690MM

AVAILABLE COLORS:  

SP-BCD-197BW

DOUBLE DOOR REFRIGERATOR 197L



SPECIFICATION:

- Freezing Volume: 92L
- Refrigeration Volume: 105L
- Temperature: 0-10°C/-18°C
- Working Voltage: 220 v, 50HZ
- Refrigerant: R600a
- Energy Class: B
- Climate Classification: T
- Rated Power: 80w
- Outside Condenser
- Power Consumption: 0.57kw.h /24h
- Power Cord: 2 Round Pin VDE Plug
- CFC Free Environmental Protection
- Manual Defrost
- Plastic Shelf
- Egg Tray & Interior Light
- Vegetable Storage
- Product Size: 525*534*1572 mm

CHEST FREEZER



FREEZER

FEATURES:

- Freezer Star: 4
- Climate Type: T
- Refrigerant: R600a
- Temperature Control: Mechanical (18°C)
- Defrost: Manual
- Voltage: 220V/50HZ VDE Round Pin Plug
- 4 Universal Wheels & Drainage
- Outside Handle, Lock & Key
- Basket 1pc
- Interior Light
- Evaporator: Tube-Circling
- Foaming Agent: Cyclopentane
- Bottom Cooling
- Embossed Aluminum Liner
- Case Shell: PCM

INSIDE CONDENSER



SP-WB-100
CHEST FREEZER 99L
SINGLE DOOR
Total Net Capacity: 96 Liters
Product Size: 553 x 503 x 850mm



SP-WB-150
CHEST FREEZER 142L
SINGLE DOOR
Total Net Capacity: 142 Liters
Product Size: 690 x 565 x 860mm



SP-WB-220
CHEST FREEZER 215L SINGLE
DOOR WITH SLIDING GLASS
Total Net Capacity: 212 Liters
Product Size: 940 x 560 x 860mm



SP-WB-530
CHEST FREEZER 400L SINGLE DOOR
Total Net Capacity: 400 Liters
Built-In Fan
Product Size: 1386 x 716 x 850mm

OUTSIDE CONDENSER



SP-CF-180H
DEEP CHEST FREEZER 180L
SINGLE DOOR W/ SLIDING
GLASS
Total Net Capacity: 180 Liters
Product Size: 872 x 555 x 843mm



SP-CF-250H
DEEP CHEST FREEZER 250L
SINGLE DOOR W/SLIDING
GLASS
Total Net Capacity: 250 Liters
Product Size: 946 x 635 x 843mm



SP-CF-300H
DEEP CHEST FREEZER 300L
SINGLE DOOR WITH SLIDING
GLASS
Total Net Capacity: 300 Liters
Product Size: 1112 x 635 x 843mm



SPBD-150 / SPBD-200 / SPBD-250 / SPBD-350 /
SPBD-425 / SPBD-600 / SPBD-700
220V/50HZ ; R600A / R134A
LED Light with Inner Glass
With Handle, Lock & Key
4 Universal Wheels

ICE CREAM SHOWCASE WITH TWO SLIDING GLASS DOOR



SP-420S

Total Net Capacity: 419 Liters
Freezer Star: 4
Climate Type: T
Refrigerant: R290
Freezing Temperature: $\leq -24^{\circ}\text{C}$
Temperature Control: Mechanical
Voltage: 220V/50HZ VDE Round Pin Plug
Product Size: 1455 x 685 x 835mm

WITH FOC SPARE PARTS:
Compressor, Thermostat, Hinge,
Fan etc...

FEATURES:

- Adjustable Wheel & Drainage
- Basket 1pc
- Wire and Tube Condenser (with fan)
- Evaporator: Copper Tube-Circling
- Foaming Agent: Cyclopentane
- Bottom Cooling
- Embossed Aluminum Liner
- Cabinet: Steel Plate (PCM)


BEVERAGE SHOWCASE COOLER

OUTSIDE CONDENSER

SC/SD-408

- 220V/50Hz
- Compressor Coolir
- 4Pcs Shelves
- R600a Gas
- LED Light Bar
- Compressor Fan
- Key and Lock





AIR CONDITIONER



SPLIT TYPE “COOLING ONLY” AIR CONDITIONER



CSC-09	9000 BTU / 1.0 CV
CSC-12	12000 BTU / 1.5 CV
CSC-18	18000 BTU / 2.0 CV
CSC-24	24000 BTU / 3.0 CV

- 220-240V/50HZ, T1, R410a, On/Off, Geometry Panel
- 3M Copper Pipes , Glossy Panel
- Energy-Saving Auto-Restart
- Double Anti-Corrosion Outdoor Unit
- Hidden Display
- Golden Fin

SPLIT TYPE DC INVERTER “COOLING ONLY” AIR CONDITIONER



CSDC-09	9000 BTU / 1.0 CV
CSDC-12	12000 BTU / 1.5 CV
CSDC-18	18000 BTU / 2.0 CV
CSDC-24	24000 BTU / 3.0 CV

- 220-240V/50HZ, T1
- 3M Copper Pipes , Glossy Panel
- Energy-Saving Auto-Restart
- Double Anti-Corrosion Outdoor Unit
- Hidden Display
- Golden Fin

SPLIT STANDING - COOLING ONLY AIRCONDITIONER

CFC-24	24000 BTU / 3.0 CV
CFC-36	36000 BTU / 3.5 CV
CFC-48	48000 BTU / 4.0 CV

- 220-240V/50HZ, 380V/50HZ, T1, R410a
- 5M Copper Pipes
- Hidden Display
- Energy-Saving
- Auto-Clean
- Double Anti-Corrosion Outdoor Unit
- Panel :LA
- On-Off



“HEAT AND COOL” SPLIT TYPE AIRCONDITIONER



CSH-09	9000 BTU / 1.0 CV
CSH-12	12000 BTU / 1.5 CV
CSH-18	18000 BTU / 2.0 CV
CSH-24	24000 BTU / 3.0 CV

- 220-240V/50HZ, T1, R410a
- 3M copper pipes
- Glossy panel
- Energy-saving
- Auto-restart
- Double anti-corrosion outdoor unit
- Hidden display
- Golden fin
- Panel :DG
- ON/OFF

“HEAT AND COOL” SPLIT TYPE - DC INVERTER AIRCONDITIONER



CSDH-09	9000 BTU / 1.0 CV
CSDH-12	12000 BTU / 1.5 CV
CSDH-18	18000 BTU / 2.0 CV
CSDH-24	24000 BTU / 3.0 CV

- 220-240V/50HZ, T1, R410a
- 3M Copper Pipes
- Glossy Panel
- Energy-Saving
- Auto-Restart
- Double Anti-Corrosion Outdoor Unit
- Hidden Display
- Golden Fin
- Panel : DG
- DC INVERTER

“HEAT AND COOL” STANDING PORTABLE AIR CONDITIONER



SP-9000BTU

- Refrigerant: R290
- Cooling Capacity: 9000 BTU / 1.0 CV
- Heating Capacity: 8200 BTU
- Input Power: Cooling 950W
- Heating: 580W
- Dehumidifying Capacity (L/H): 0.8
- Operation Temperature: 16-35degree
- Air Flow Volume (m3/h): 320
- Noise (Sound Pressure Level dBA) : <53
- Voltage: 220-240V/50Hz
- Timer: 0-24 Hours
- Extendable Exhaust Hose: 1.5m
- Product Size: 355 x 330 x 807mm

FAN



USB PORTABLE FAN



AK-20A

TABLE FAN


- AUTO OSCILLATING
- USB Powered: 5V=510W
- Speed Mode: 4 Speeds Mode
- Adjust Angle: 90°
- Product Dimension: 15 x 10.5 x 22cm



AK-28B

FOLDABLE FAN

- Battery Powered: 3.7V=5.5W
- USB Powered: 5V=5.5W
- Battery Capacity: 1800mAh
- Charging Time: 3.5 Hours
- Working Time: 2-11.5 Hours
- Speed Mode: 4 Speeds Mode
- Adjust Angle: 90°
- Product Dimension: 15 x 15 x 30cm



AK-29B

TABLE FAN

- Battery Powered: 3.7V=5.5W
- USB Powered: 5V=5.5W
- Battery Capacity: 1800mAh
- Charging Time: 3.5 Hours
- Working Time: 1.5-7 Hours
- Speed Mode: 4 Speeds Mode
- Adjust Angle: 90°
- Product Dimension: 19 x 12.5 x 27cm



AK-30A

POWERED FAN

- USB Powered: 5V=5W
- Fan Diameter: 10cm
- Adjust Angle: 120°
- Product Dimension: 10 x 3.5 x 13.5cm



AK-23B

CLIP FAN

- Battery Powered: 3.7V=6.2W
- USB Powered: 5V=6.2W
- Battery Capacity: 1800mAh
- Charging Time: 3.5 Hours
- Working Time: 1.8-10 Hours
- Speed Mode: 4 Speeds Mode
- Adjust Angle: 360°
- Product Dimension: 15 x 13 x 31cm

CEILING FAN

SPECIFICATION:

- Sweep: 1200mm (48") / 1400mm (56")
- Rated Input Supply: 180-230 Volts (AC)
- Rated Input Power: 70 Watts (+/- 5 %)
- Speed: 380 RPM (+/- 10)
- Air Delivery: 210 CCM
- Winding: Aluminum
- Stack Size: 12 mm
- Number of Poles: 12 Poles
- Body: Aluminum Top & Bottom Covers
- Capacitor: 2.25 mfd
- Paint: Powder Coated / Stoving Enameled
- Packaging-Inner: Inner Packing-Motor, Blade - one in one



KEI390

Blade: 0.5mm MS Leaves



WINGER


Blade: 0.9mm Aluminum Leaves



FANTASY

Blade: 0.9mm Aluminum Leaves

WALL FAN



FB-40-D016



FB-40-D16K

w/ REMOTE

SPECIFICATION:

- Motor: 71 x 16 Aluminum Motor with Fuse
- Size: 16inch Wall Fan
- Voltage: 220V/50Hz
- Power: 50W, 1250RPM
- Plug: Two Normal Round Pin Plug (2 x 0.5 x 1.7)
- With Grill Side (430 x 120 x 1.2)
- Blade: 3AS Blade
- Body: ABS Material

AC TOWER FAN

SPECIFICATION:

- Material: ABS
- 1.5L Water Tank
- Back Cover Can Be separated
- 12 Hour Timer
- 3 Speed Control
- 3 Kind of Wind for Optional (Nature / Normal / Sleep)
- Remote Control Function
- Wide Angle Oscillation
- 2 x 0.75 x 1.8m EUROPE Plug



FZS10-1RC9-BLACK

220-240V~, 50-60Hz - 90W
Dimension: 116 x 18 x 18CM

INDUSTRIAL FAN



FS-45-301C

- Grill: Plastic Grill
- Pedestal: Cross Base
- Blade: 5AS Blade



FS-45-301A

- Grill Side :500 x 120 x 1.2
- Pedestal: 800g Round Base w/ 4 holes
- Blade: 3 Metal Blade

SPECIFICATION:

- Size: 18 inch
- Voltage: 220V / 50Hz
- Power: 50W, 1250 RPM
- Body: PP Material
- Height: 1.3m
- Motor: 71*18 Aluminum Motor
- Plug: Two Normal Round Pin Plug 2 x 0.15 x 1.7

STAND FAN



FS-40-A12

- Size: 16 inch
- Voltage: 220V / 50Hz
- Power: 50W, 1250 RPM
- Motor: 71 x 16 Aluminum Motor
- Plug: 2 Normal Round Pin Plug (2 x 0.5 x 1.7)
- With Grill Side (430 x 120 x 1.2)
- Pedestal: 2.5kgs Round Base
- Blade: 3AS / 5AS Blade
- Body: ABS Material
- Height: 1.3m
- Timer: 1 Hour



FS45-B9

- Size: 18 inch
- Voltage: 220-240V 50 60Hz 60W
- 3 Speeds
- Blade: 5pcs PP Blades
- Grills: 135pcs Metal Grills w/ Clips
- Height & Oscillation
- Adjustable
- VDE Plug & 1.5M Power Code
- Product Size: 500 x 420 x 1350mm
- Pedestal: 2kg Round Base
- Aluminum Motor & Copper Motor

AVAILABLE COLORS:  

RECHARGEABLE STAND FAN



MC-8026

- 16 inch Rechargeable Fan w/ Remote Control
- 6V 7000mAh Lead Acid Battery
- 5V USB Output Socket
- 9V DC Input Socket
- Endurance time: H: 4Hrs M:7Hrs L:11Hrs
- Power: 25W

SPECIFICATION:

- Brushed DC Motor
- With ON/OFF Battery Switch
- 5pcs PP Blades
- 3 Speeds Oscillating Fan
- Title Angle Adjustable



MC-8058

- 18 inch Rechargeable Fan w/ Remote Control
- 12V 4500mAh Lead Acid Battery
- 5V USB Output Socket
- 15V DC Input Socket
- Endurance time: H: 3.5Hrs M:6Hrs L:10Hrs
- Power: 45W

- 6pcs LED Light & Battery Indicator
- AC/DC Function
- Charging Time: 8-12 Hour
- Input: 100V-240V 50/60Hz

SOLAR RECHARGEABLE STAND FAN



ET-9027

16" STAND FAN WITH LIFE PO4 BATTERY
16 INCHES 5 BLADES RECHARGEABLE



SPECIFICATION:

- Voltage / Frequency: 110-240V 50/60Hz
- Motor: 6V Brushless Motor RPM:1000
- Speed: 5 Speed Choose 1000
- Power:20W Max
- Current:1.2A
- Grill: Metal Grill
- Light:20pcs LED*0.2W
- Body: ABS +PP
- Working Time: Upto 25 Hours
- Battery Capacity: 2*3.2V (Total6.4V/5500mAh)
- Battery Type: 5500mAh LiFePO4 Lithium ION
- Fan Diameter: 16"
- Fan Height: 55"
- Battery model No.32650
- DC 9V jack for solar charge
- AC/DC operation
- Total.power:25W(single fan 15-20W)
- Over Discharge&Overcharge protection
- Working time:4-25hours
- Charging time:12-15hours remote control

AIR COOLER FAN



SP-50

SPECIFICATION:


- VDE Plug
- Mechanical/Remote: Mechanical
- Top Cover: PP
- Voltage: 220-240V, 50Hz
- Airflow: 4500 M³
- Suitable Rooms: R15-20 M²
- Power: 150W (Motor 60W)
- Water Level: 45L
- Water Consumption: 5L/H
- Voltage: 110V-240V 50 / 60Hz
- With 4 Ice Box
- Product Size: 510*360*1020mm



SP-40

SPECIFICATION:

- Full Copper Motor / VDE Plug
- Up/Down Manual Adjustable
- Left/Right Automatic Swing
- With 4 Ice Box
- Airflow (m³/h): 2700m³/H
- Rated Power: 100W
- Water Tank Capacity: 30L (Real 28L)
- Effective Area: 20-30m²
- Water Consume: 2-4L / H
- Voltage: 110V-240V 50 / 60Hz
- Material: Plastic (PP&ABS)



SP-50A

SPECIFICATION:

- 18000m³/h
- 1.1KW
- 220V 50HZ w/ Wheels
- Shutter




LL-16A

Technical Specifications	Air Cooler
Model No.	LL-16A Series
Max Airflow	1600 m ³ /h
Distance of wind	12.5 m/s
Power	220W
Fan	Centrifugal Double Turbines
Watertank Capacity	30L
Applicable Area	25-30m ²

Function Description	
Honeycomb (Cooling Pad)	1PCS (3 pcs for optional)
Speed Level	4 Speeds (H / M / L / Sleep)
Control Model	Electronic Control
Remote Control	✓
Swing (Oscillation)	L & R, Up & Down Automatic
Mist Function	Optional
USB Charger	Optional
Timer	24 Hours
Ionizer (Fresh & Air Purifier)	✓
Water Shortage Protection	✓
Temperature Detection& Display	✓(LED)



Multiple air purification systems
Effectively filters all kinds of pollution, purifies indoor air



LL-16B

Technical Specifications	Air Cooler
Model No.	LL-16B Series
Max Airflow	1600 m ³ /h
Distance of wind	12.5 m/s
Power	220W
Fan	Centrifugal Double Turbines
Watertank Capacity	30L
Applicable Area	25-30m ²

Function Description	
Honeycomb (Cooling Pad)	1PCS (3 pcs for optional)
Speed Level	4 Speeds (H / M / L / Sleep)
Control Model	Electronic Control
Remote Control	✓
Swing (Oscillation)	360°Rotating Automatic
Mist Function	Optional
USB Charger	Optional
Timer	24 Hours
Ionizer (Fresh & Air Purifier)	✓
Water Shortage Protection	✓
Temperature Detection& Display	✓(LED)



LL-Q8 SERIES

Models	RBW LL-Q8A1 RBW LL-Q8B1	RBW LL-Q8A RBW LL-Q8B
Distance of wind(m/s)	12.5	12.5
Speed Level	4 speeds	4 speeds
Power (W)	100	100
Fan type	Centrifugal double turbines	Centrifugal double turbines
Size of fan (mm)	ø115*132*2pcs	ø115*132*2pcs
Water consumption (L/H)	0.8-1.6 / 1.8-2.5	0.8-1.6 / 1.8-2.5
Water tank (L)	20	30
Water shortage warning	YES	YES
Timer	1-24h	1-24h
Remote	YES	YES
Ionizer	YES	YES
Applicable area (m ²)	25-30	25-30
Dimension(mm)	350x380x870(H)	350x380x970(H)
Packed size(mm)	385x410x870(H)	385x410x970(H)
N.W/G.W (kg)	11.4/12.7	11.9/13.4
Loading quantity (20" GP/40' HQ)	202/420/520pcs	196/415/455pcs

Two Windows Air Outlet -
Air Volume Cover Wide Area . More Comfortable



WASHING MACHINE



DRYER MACHINE



SP-LS60-506M

220V/50HZ, ALU MOTOR
Capacity(kg): 6KG
Product Dimensions (mm):
605 x 430 x 700mm



SP-LS80-605M

220V/50HZ, ALU MOTOR
Capacity (kg): 8KG
Product Dimensions (mm):
605 x 475 x 700mm

SPECIFICATION:

- Cool Air Care: 0-80 Minutes Cycle
- Control Panel: ABS
- Door: Plastic
- Drum: Stainless Steel Drum
- Cabinet: Color Steel Plate (PCM)
- Dryer Type: Venting
- Heating Type: PTC
- Type of Venting: Back
- Type of Controls: Mechanical
- Input Power (watts): 1350W
- Inner Drum Speed (RPM) (50Hz): 48-53
- Motor Power (watts): 65W
- Remove Odor Net Cloth
- Sterilization Eliminate Mites
- 3D Dynamic Drying
- Double Filter Dander
- Environmental Protection
- Double Temperature Control for Safety Protection
- Wall mount or table stand design

DRYING PROCESS & TIME:

- Heavy clothing: 120-180mins
- Normal clothing: 60-120mins
- Anti-wrinkle: 30-60mins
- Cooling: 20mins
- Full heating: full

AUTOMATIC WASHING MACHINE



SG70-12L21

220V/50HZ, ALU MOTOR
Capacity(kg): 6KG / 7KG / 8KG
Product Dimensions (mm):
600 x 450 x 840mm



XQG60-1017P

220V/50HZ, ALU MOTOR
Capacity (kg): 6KG
Product Dimensions (mm):
600 x 480 x 840mm
MAX Spin Speed: 800 RPM



XQG80-1217P

220V/50HZ, ALU MOTOR
Capacity(kg): 8KG
Product Dimensions (mm):
600 x 565 x 840mm
MAX Spin Speed: 1000 / 1200 RPM

SPECIFICATION:

- Cool Air Care: 0-80 Minutes Cycle
- Control Panel: ABS
- Door: Plastic
- Drum: Stainless Steel Drum
- Cabinet: Color Steel Plate (PCM)
- Dryer Type: Venting
- Heating Type: PTC
- Type of Venting: Back
- Type of Controls: Mechanical
- Input Power (watts): 1350W
- Motor Power (watts): 65W
- Inner Drum Speed (RPM) (50Hz): 48-53



SEMI - AUTOMATIC WASHING MACHINE



SPB75-E03

220V/50HZ, ALU MOTOR
Capacity(kg): 7.5KG
Product Dimensions (mm):
770 x 430 x 880mm



SPB85-E03

220V/50HZ, ALU MOTOR
Capacity (kg): 8.5KG
Product Dimensions (mm):
820 x 450 x 960mm



SPB95-E03

220V/50HZ, ALU MOTOR
Capacity(kg): 9.5KG
Product Dimensions (mm):
820 x 450 x 1010mm



SPB60-A01

220V/50HZ, ALU MOTOR
Capacity (kg):
6KG / 7.5KG / 8.5KG / 9.5KG
Product Dimensions (mm):
716 x 400 x 820mm

SPECIFICATION:

- Cool Air Care: 0-80 Minutes Cycle
- Control Panel: ABS
- Door: Plastic
- Drum: Stainless Steel Drum
- Cabinet: Color Steel Plate (PCM)
- Dryer Type: Venting
- Heating Type: PTC
- Type of Venting: Back
- Type of Controls: Mechanical
- Input Power (watts): 1350W
- Motor Power (watts): 65W
- Inner Drum Speed (RPM) (50Hz): 48-53

- Magic Cleaning Filter
- Wind Jet Dry
- Transparent Lid
- New Material
- Program Selection
- Wash & spin

COOKING RANGE



TABLE TOP GAS STOVE



YG-B5004

**2D PANEL TEMPERED GLASS
1 Burner Gas Stove**
(Cast Iron Burner w/ Steel Cap)

SPECIFICATION:

- Glass Panel Size: 320*375*7mm
- Heat Output (KW): 2.5
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 90 Cast Iron Burner
- Burner Cap Size: 90 Copper
- Pan Support: 4 Ear Enamel
- 11.5mm Gas Pipe
- Product Size (mm): 430*350*110mm



YG-B8001

**2D PANEL TEMPERED GLASS
2 Burners Gas Stove**
(Honeycomb Iron Burner)

SPECIFICATION:

- Glass Panel Size: 720*378*7mm
- Heat Output (KW): 3.0 + 3.0
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 100 + 100 Honeycomb Iron Burner
- Pan Support: 5 Ear Enamel
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*110mm



YG-B8029

**2D PANEL TEMPERED GLASS
2 Burner Gas Stove**
(Cast Iron Burner w/ Brass Cap)

SPECIFICATION:

- Glass Panel Size: 720*378*7mm
- Heat Output (KW): 2.5 + 2.5
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 80 + 80 Cast Iron Burner
- Burner Cap Size: 80 + 80 Copper
- Pan Support: 5 Ear Enamel
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*110mm



YG-B8039

**2D PANEL TEMPERED GLASS
2 Burner Gas Stove**
(Brass Cap + Infrared Cap)

SPECIFICATION:

- Glass Panel Size: 720*378*7mm
- Heat Output (KW): 3.0 + 2.5
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 90 Cast Iron Burner + 150 Infrared Burner
- Burner Cap Size: 90 Copper Burner Cap + 150 Infrared Cap
- Pan Support: 5 Ear Enamel
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*110mm



YG-B8046

**2D PANEL TEMPERED GLASS
2 Burner Gas Stove**
(Cast Iron Burner w/ Steel Cap)

SPECIFICATION:

- Glass Panel Size: 720*378*7mm
- Heat Output (KW): 2.5 + 2.5
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 90 + 90 Cast Iron Burner
- Burner Cap Size: 90 + 90 Steel
- Pan Support: 5 Ear Enamel
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*110mm



YG-B8051

**2D PANEL TEMPERED GLASS
2 Burners Gas Stove**
(Infrared Cap + Steel Cap)

SPECIFICATION:

- Glass Panel Size: 720*378*7mm
- Heat Output (KW): 2.5 + 3.0
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 150 Infrared Burner + 90 Cast Iron Burner
- Burner Cap Size: 150 Infrared Cap + 90 Steel Burner Cap
- Pan Support: 5 Ear Electrophoresis
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*110mm



YG-B8067

**2D PANEL TEMPERED GLASS
2 Burner Gas Stove**
(Cast Iron Burner w/ Brass Cap)

SPECIFICATION:

- Glass Panel Size: 723*378*7mm
- Heat Output (KW): 3.4 + 3.4
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 100 + 100 Cast Iron Burner
- Burner Cap Size: 100 + 100 Copper
- Pan Support: 5 Ear Electrophoresis
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*140mm



YG-B9046

**2D PANEL TEMPERED GLASS
3 Burner Gas Stove**
(Cast Iron Burner w/ Steel Cap)

SPECIFICATION:

- Glass Panel Size: 720*378*7mm
- Heat Output (KW): 2.56 + 0.7 + 2.5
- Body Material: 201 Stainless Steel Frame
- Big Valve
- Burner Size: 90 + 45 + 90 Cast Iron Burner
- Burner Cap Size: 90 + 45 + 90 Steel
- Pan Support: 5 Ear Enamel
- 11.5mm Gas Pipe
- Product Size (mm): 750*425*110mm

4 BURNER WITH OVEN - GLASS TOP LID GAS STOVE

SOURCE: GAS



WOODEN
BROWN

GS5040GLWB

OVEN SIZE: 500*500*880
Oven Color: Wooden Design
Control Panel: Stainless Steel
Bottom Fascia: Wooden Design
Side Panels: Grey Painted



WOODEN
BROWN

GS6040GLWB

OVEN SIZE: 600*600*880
Oven Color: Wooden Design
Control Panel: Stainless Steel
Bottom Fascia: Wooden Design
Side Panels: Grey Painted



SILVER

GS5040GLSL

OVEN SIZE: 500*500*880
Oven Color: Grey Painted
Control Panel: Stainless Steel
Bottom Fascia: Grey Design
Side Panels: Grey Painted



SILVER

GS6040GLSL

OVEN SIZE: 600*600*880
Oven Color: Grey Painted
Control Panel: Stainless Steel
Bottom Fascia: Grey Design
Side Panels: Grey Painted



AQUA
BLUE

GS5040GLOB

OVEN SIZE: 500*500*880
Oven Color: Aqua Blue Painted
Control Panel: Stainless Steel
Bottom Fascia: Aqua Blue Painted
Side Panels: Aqua Blue Painted



BLACK

GS5040GLBL

OVEN SIZE: 500*500*880
Oven Color: Black Painted
Control Panel: Stainless Steel
Bottom Fascia: Black Painted
Side Panels: Black Painted



BROWN

GS5040GLBR

OVEN SIZE: 500*500*880
Oven Color: Brown Painted
Control Panel: Stainless Steel
Bottom Fascia: Brown Painted
Side Panels: Brown Painted

FUNCTION:

- Electric Ignition (cooktop): Push Button
- Oven Light (inner lamp) 15W
- Top Cover Material: Glass Top Lid
- Burner Type: 4 Euro Type
- Burner Material: Aluminum
- Burner Cap Material: Enameled
- Gas Valves: Aluminum
- Cooktop (HOB) Material: Stainless Steel

BURNERS & HEATING ELEMENTS (Dimensions & Powers)

- Rapid Gas Burners: ø100mm *1
- Semi Rapid Gas Burners: ø75mm *2
- Auxiliary Gas Burners: ø55mm * 1
- Rapid Gas Burners: 2,50 kw
- Semi Rapid Gas Burners : 1,70 kw
- Auxiliary Gas Burners: 0,90 kw
- Oven Gas Burner: 2,20 kw
- Grill Gas Burner: 1,40kw

4 BURNER WITH OVEN - METAL TOP LID GAS STOVE

SOURCE: GAS



BLACK

GS5040MLBL

OVEN SIZE: 500*500*880

Oven Color: Black Painted
Control Panel: Stainless Steel
Bottom Fascia: Black Painted
Side Panels: Black Painted

FUNCTION:

- Electric Ignition (cooktop): Push Button
- Oven Light (inner lamp) 15W
- Top Cover Material: Metal Top Lid
- Burner Type: 4 Euro Type



BLACK

GS6040MLBL

OVEN SIZE: 600*600*880

Oven Color: Black Painted
Control Panel: Stainless Steel
Bottom Fascia: Black Painted
Side Panels: Black Painted

- Burner Material: Aluminum
- Burner Cap Material: Enameled
- Gas Valves: Aluminum
- Cooktop (HOB) Material: Stainless Steel



BROWN

GS5040MLBR

OVEN SIZE: 500*500*880

Oven Color: Brown Painted
Control Panel: Stainless Steel
Bottom Fascia: Brown Painted
Side Panels: Brown Painted



BROWN

GS6040MLBR

OVEN SIZE: 600*600*880

Oven Color: Brown Painted
Control Panel: Stainless Steel
Bottom Fascia: Brown Painted
Side Panels: Brown Painted

BURNERS & HEATING ELEMENTS

(Dimensions & Powers)

- Rapid Gas Burners: ø100mm *1
- Semi Rapid Gas Burners: ø75mm *2
- Auxiliary Gas Burners: ø55mm * 1
- Rapid Gas Burners: 2,50 kw
- Semi Rapid Gas Burners : 1,70 kw
- Auxiliary Gas Burners: 0,90 kw
- Oven Gas Burner: 2,20 kw
- Grill Gas Burner: 1,40kw

FREE STANDING - GLASS TOP LID ELECTRIC STOVE



BROWN

SP664ELBR22R2N

SIZE: 60 X 60

OVEN SIZE: 600*600*880

4 HOT PLATE

- Rapid Big Hot Plate 2000W - 180mm
- Rapid Middle Hot Plate 1500W - 145mm
- Big Hot Plate 1500W - 180mm
- Middle Hot Plate 1000W - 145mm



INOX

SP664ELIN2R2N

SIZE: 60 x 60

OVEN SIZE: 600*600*880

4 HOT PLATE

- Rapid Big Hot Plate 2000W - 180mm
- Rapid Middle Hot Plate 1500W - 145mm
- Big Hot Plate 1500W - 180mm
- Middle Hot Plate 1000W - 145mm



BLACK

SP664VTBL4EL

SIZE: 60 X 60

OVEN SIZE: 600*600*880

4 VITRO CERAMIC PLATE

- 2 x 1200W
- 2 x 1800W



INOX

SP664EGIN2R2N

SIZE: 60 X 60

OVEN SIZE: 600*600*880

2 HOT PLATE

- Rapid Big Hot Plate 2000W - 180mm
- Middle hot plate 1000W - 145mm

2 GAS BURNER

5 BURNER WITH OVEN - GLASS TOP LID

GAS STOVE

SOURCE: GAS



SILVER

FF9502GFZH

OVEN SIZE: 900*600*880

BURNERS & HEATING ELEMENTS

(Dimensions & Powers)

- Rapid Gas Burners: ø100mm *1
- Semi Rapid Gas Burners: ø75mm *2
- Auxiliary Gas Burners: ø55mm *1
- Triple Crown Gas Burners: ø130mm *1
- Rapid Gas Burners: 2,50 kw
- Semi Rapid Gas Burners : 1,70 kw
- Auxiliary Gas Burners: 0,90 kw
- Triple Crown Burners: 3,0kw
- Oven Gas Burner: 2,20 kw
- Grill Gas Burner: 1,40kw

FUNCTION:

- Oven Color: Grey Painted
- Control Panel: Stainless Steel
- Bottom Fascia: Grey Painted
- Side Panels: Grey Painted
- Electric Ignition (cooktop): Automatic
- OVEN LIGHT (inner lamp): ✓
- Top Cover Material: Glass Top Lid
- Burner Type: 5 Euro Type
- Burner Material: Aluminum
- Burner Cap Material: Enamelled
- Gas Valves: Aluminium
- Cooktop (HOB) Material: Stainless Steel

BUILT-IN

GAS STOVE

SOURCE: GAS



YG-B33082

3 BURNER GAS STOVE

STAINLESS STEEL

(Cast Iron Burner w/ Steel Cap)

FUNCTION:

- Panel Size: 760*450*715mm
- Heat Output (KW): 3.6 + 1.6 + 3.6
- Body Material: Powder Coating
- Big Valve
- Burner Size: 100 + 75 + 100 Cast Iron Burner
- Burner Cap Size: 100 + 75 + 100 Steel Burner Cap
- Pan Support: Cast Iron Pan Support
- 11.5mm Gas Pipe
- Product Size (mm): 840*490*210mm

BUILT-IN

HOB

SOURCE: GAS



HM602MS

Panel Size: 600*900

Color: Stainless Steel

Control Panel: Stainless Steel

Pan Support: Cast Iron

FUNCTION:

- Electric Ignition (cooktop): Automatic
- Burner Type: 4 Euro Type
- Burner Material: Cast Iron
- Cooktop (HOB) Material: Stainless Steel

BURNERS & HEATING ELEMENTS

(Dimensions & Powers)

- Rapid Gas Burners: ø100mm *1
- Semi Rapid Gas Burners: ø75mm *2
- Auxiliary Gas Burners: ø55mm *1
- Rapid Gas Burners: 2,50 kw
- Semi Rapid Gas Burners: 1,70 kw
- Auxiliary Gas Burners: 0,90 kw
- Oven Gas Burner: 2,20 kw
- Grill Gas Burner: 1,40kw

BUILT-IN

OVEN

SOURCE: GAS



BG6L0021

Oven Size: 600*600*600

Oven Color: Stainless Steel

Control Panel: Stainless Steel

FUNCTION:

- Electric Ignition (oven): Automatic
- Oven Light (inner lamp) 15W

BURNERS & HEATING ELEMENTS

(Dimensions & Powers)

- Oven Gas Burner: 2,20 kw
- Grill Gas Burner: 1,40kw

FRONT DOOR:

- Oven Door: Removable Glass
- Handle: Grey Painted

OVEN:

- Oven Interior (cavity): Black Enamelled
- Rack System (side panels of cavity): Embossed Cavity
- Isolation Material: Knauf Glass Wool

WALL MOUNTED

CHIMNEY HOOD

FCH-HC100

SIZE: 60X60 CM



ELECTRIC KETTLE



SP-1520

- Voltage: 220 V/50 Hz
- Rated Power: 1500 W
- Capacity: 1.8 Liters
- Stainless Steel Housing
Thickness: 0.21mm
- Plastic Handle
- Size: 16.5 (W) x 22.5 (H) CM
- 2 Round Plug

WATER DISPENSER & PURIFIER



WATER DISPENSER



YLRS - E8

- Water Dispenser FS Compressor CL
- Top Load - H / C / N
- Child Lock
- Color: Black & White



YLRS - E9

- Water Dispenser FS Compressor CL
- Top Load - H / C / N
- Child Lock with Fridge
- Color: Black & White



YLRS - V5

- Water Dispenser FS Compressor CL
- Bottom Load - H / C / N
- Child Lock
- Color: Golden

WATER PURIFIER



BG-RO301

- R.O Water Filter with 13L Tank - 5 Stage
- Auto Flush Under Sink
- Wall Hanging



FILTER CARTRIDGE

- Add on Sediment Filter Cartridge with 10"
- Housing for R.O Water Filter

BLUETOOTH SPEAKER



PORTABLE SPEAKER



SP-PB6855s

- BLUETOOTH/USB/TF/FM/AUX
- RMS 20W
- Bluetooth 5.1 version
- Bluetooth TWS function
- Colorful LED light
- Hands free Call (without Karaoke Function)
- Built-In 3.7V 3600mAh Battery



SP-PB3515

- BLUETOOTH/USB/TF/AUX
- RMS 25W
- DSP Classic D Amplifier
- 2 way Speaker Hi-Fi Driver
- Bluetooth 5.0 Version
- Hands Free Call
- Bluetooth TWS Function
- Colourful LED Light
- Waterproof IPX5
- Built-In Li-ION 18650, 11.1V 1800mAh Battery

SOUNDBAR SPEAKER



SP-S237

- BLUETOOTH/USB/AUX
- RMS 8W
- Built-In 3.7V 1800mAh Battery



SP-S03DG

- BLUETOOTH/TWS/TF/FM
- Material: ABS + Metal
- Hand Free Call / Type C
- Bluetooth 5.0 Version + EDR
- Horns Type: 4W, 10W*2 5. SNR ≥ 85db
- Working Distance ≥ 10 Meters
- Built-In 3600mAh Battery
- Play Time: 3-5 Hours



SP-S08CH

- BLUETOOTH/TWS/USB/TF/AUX
- Mini Sound Bar with Battery
- Material: ABS + Metal Net
- Hand Free Call / LED
- Output: 2*5W
- Bluetooth 5.0 Version + EDR
- Horns Type: 4W, 5W*2, 45mm SNR ≥ 80db
- Working Distance ≥ 10 Meters
- Input Voltage ≤ DC5V (1a)
- Built-In 2000mAh Battery
- Play Time: 3-5 Hours

PARTYBOX SPEAKER



SP-06D09

- BLUETOOTH/USB/TF/FM/AUX
- with Karaoke (wireless microphone)
- RMS 20W
- 2 Hi-Fi Classic D Amplifier System
- Bluetooth 5.0 version
- FM PLL Digital Tuner
- Digital Echo/Delay for Karaoke
- Built-In 7.4V 3600mAh Battery
- Fully Remote Control
- Includes: Wireless Mic & No Rubber Finish
- Multi-Color LED Lighting
- 4 Digit LED Display (Red)

TALL PARTYBOX SPEAKER



SP-D12C

- BLUETOOTH/USB/TF/FM/AUX/Mic Input
- RMS 120W
- Hi-Fi Classic D Amplifier System
- Double 12" Speaker and 1" Tweeter
- 2 Wired Microphone & One Guitar Input
- (2 wireless microphone)
- Treble / Bass Control
- FM PLL Digital Tuner
- Digital Echo for Karaoke
- Built-In Acid Lead 12V 7200mAh Battery
- Circle LED lighting
- Bluetooth 5.0
- 4 Digit LED Display (Red)

PROJECTOR SCREEN



PROJECTOR SCREEN MOTORISED

AVAILABLE SIZE:

- 150 X 150 CM
- 180 X 180 CM
- 240 X 240 CM
- 320 X 225 CM



PROJECTOR SCREEN MANUAL

AVAILABLE SIZE:

- 150 X 150 CM
- 180 X 180 CM
- 240 X 240 CM
- 320 X 225 CM



PROJECTOR TRIPOD SCREEN

AVAILABLE SIZE:

- 150 X 150 CM
- 180 X 180 CM
- 240 X 240 CM
- 320 X 225 CM





ELECTRIC PRODUCTS



ALL IN-ONE SOLAR STREET LIGHT



WAT	SIZE (MM)	MATERIAL	SOLAR PANEL (mm)	BATTERY	CHARGING TIME	WORKING TIME	CONTROL	WATERPROOF	HEAD
50W	390*195	ABS	5V / 7W Polysilicon	3.2V Iron Lithium 32650 Battery 4000mAh	4-6 Hours	12 Hours	Light Induction + Remote Control + Radar Induction	IP65	1 Head
100W	485*220	ABS	5V / 9W Polysilicon	3.2V Iron Lithium 32650 Battery 5000mAh	4-6 Hours	12 Hours	Light Induction + Remote Control + Radar Induction	IP65	2 Head
150W	625*240	ABS	5V / 12W Polysilicon	3.2V Iron Lithium 32650 Battery 8000mAh	4-6 Hours	12 Hours	Light Induction + Remote Control + Radar Induction	IP65	3 Head
200W	725*245	ABS	5V / 15W Polysilicon	3.2V Iron Lithium 32650 Battery 10000mAh	4-6 Hours	12 Hours	Light Induction + Remote Control + Radar Induction	IP65	4 Head
250W	820*240	ABS	5V / 18W Polysilicon	3.2V Iron Lithium 32650 Battery 12000mAh	4-6 Hours	12 Hours	Light Induction + Remote Control + Radar Induction	IP65	5 Head



WAT	SIZE (MM)	MATERIAL	SOLAR PANEL (MM)	BATTERY	CHARGING TIME	WORKING TIME	CONTROL	WATERPROOF	INCLUDES
300W	635*250*55	ABS	5V/15W Polysilicon	3.2V iron lithium 32650 battery 12000mAh	4-6 Hours	12 Hours	Light Induction + Remote Control + Radar Induction	IP65	integration solar street light+remoter




TRACK LIGHT BLACK & WHITE



WAT	SIZE (MM)	VOLTAGE	MATERIAL	CRI	COLOUR	ANGLE	WIRE	LUMENS
10W	D50*L120	220-240V	AL+PC	80	3000-6000K	24°	2 wire	80LM/W
20W	D60*L155	220-240V	AL+PC	80	3000-6000K	24°	2 wire	80LM/W
30W	D70*L170	220-240V	AL+PC	80	3000-6000K	24°	2 wire	80LM/W

SOLAR LED STREET LIGHT

	WAT	SIZE (MM)	MATERIAL	SOLAR PANEL (mm)	BATTERY	CONTROL	WATERP ROOF	INCLUDE	LUMENS	SUGGEST INSTALL HEIGHT
	300W	520*210*70	Thicken Die Cast Aluminum	350*600 / 30W	BYD Lithium Iron Phosphate 25 000mAh	Light Control + Intelligent Remote Control	IP65	Solar Panel + Street Light + Arm + Remote + Install Accessory Packaged	3000LM	5-6M
	500W	520*210*70	Thicken Die Cast Aluminum	640*670 / 60W	BYD Lithium Iron Phosphate 40 000mAh	Light Control + Intelligent Remote Control	IP65	Solar Panel + Street Light	5000LM	6-8M
	600W	520*210*70	Thicken Die Cast Aluminum	810*670 / 80W	BYD Lithium Iron Phosphate 60 000mAh	Light Control + Intelligent Remote Control	IP65	Solar Panel + Street Light	6000LM	6-8M



LINEAR BATTEN

	PRODUCT SERIES		Life Span (H)	Material	Power (W) ±10%	Voltage (V)	PF	RA	CCT (K)	Lumens (Lm) ±10%	Size (mm)
	LINEAR LIGHT-HM-A	SSQ-75mm	15000hrs	PP+ Iron	40W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	3240	L600*W75*H25
	LINEAR LIGHT-HM-A	SSQ-75mm	15000hrs	PP+ Iron	80W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	6480	L1200*W75*H25
	LINEAR LIGHT-HM-A	SSQ-95mm	15000hrs	PP+ Iron	100W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	8100	L1200*W95*H25

	PRODUCT SERIES		Life Span (H)	Material	Power (W) ±10%	Voltage (V)	PF	RA	CCT (K)	Lumens (Lm) ±10%	Size (mm)
	LINEAR LIGHT-GQ	GQ-75mm	15000hrs	PP+ Iron	80W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	6750	L1200*W75*H25
	LINEAR LIGHT-GQ	GQ-75mm	15000hrs	PP+ AL	80W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	6750	L1200*W95*H25

	PRODUCT SERIES		Life Span (H)	Material	Power (W) ±10%	Voltage (V)	PF	RA	CCT (K)	Lumens (Lm) ±10%	Size (mm)
	LINEAR LIGHT-Tri	Trp-53-18	15000hrs	PC	18W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	1800	L600*W53*H52
	LINEAR LIGHT-Tri	Trp-53-36	15000hrs	PC	36W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	3600	L1200*W53*H52
	LINEAR LIGHT-Tri	Trp-62-54	15000hrs	PC	54W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	5400	L1200*W62*H52
	LINEAR LIGHT-Tri	Trp-103-72	15000hrs	PC	72W	AC165-265V 50/60Hz	0.5	70	3000k/6500k	7200	L1200*W103*H52

DOWN LIGHT



PRODUCTS PARAMETERS

D145*75, Cuthole: 125
15W, Isolate Driver, 2 years

D170*85, Cuthole: 150
20W, Isolate Driver, 2 years

D145*75, Cuthole: 125
15W, Eaglerise Driver, 3 years

D170*85, Cuthole: 150
20W, Isolate Driver, 3 years



PRODUCTS PARAMETERS

15W al+pc
D86*93MM cuthole
75mm 220v 24°

24W al+pc
D105*99MM
cuthole95mm 220v
24°




PRODUCTS PARAMETERS

9W D135*55
CUTHOLE: 110-120
WHITE FRAME

D158*90,18W
CUT HOLE: 130-140
WHITE FRAME

STABILIZER

- CIRCUIT BREAKER
- DIGITAL DISPLAY



AVR1000VA
100-280V ALU

AVR1500VA
100-280V ALU

AVR2000VA
100-280V ALU

AVR3000VA
100-280V COPP

AVR5000VA
100-280V COPP

SOLAR INVERTER

- W/50AMPS CH.CL



240V-15KVA

48V-5200VA

48V-3500VA

24V-2500VA

120V-10KVA

12V-1500VA

12V-1100VA

BATTERY



12V-C20 120AH

SHORT TUBULAR DEEP
CYCLE BATTERY



12V-C10 120AH



12V-C10 150AH



12V-C10 200AH



12V-C10 260AH



12V-C20 200AH

- TALL TUBULAR DEEP CYCLE BATTERY

- BOOST VOLTAGE: 15.8V-16.2V (27°C)
- FLOAT VOLTAGE: 14V-14.4V (27°C)
- CUT-OFF VOLATGE: 11V-11.2V (27°C)

SOLAR CHARGER CONTROLER



CON-50A12V-24V-0117

YJSS CONTROLLER



SPECIFICATION:

- ST6048-50A 12V/24V/48V Auto
- POWER: 50A PWM Controller
- 12v/24V
- Supports lead-acid batteries,Dual
- USB phone charging
- function,Material upgrade,Stable quality control
- 30A: 100pcs/Carton (425*285*410mm)
- 50A: 50pcs/Carton (550*440*280mm)

EXTENSION

- EXTENSION 1 METER
- 2400W / 10A




WY401U / WY400 / WY503U / WY301U

LED LIGHTS



ET-281
MIGHTY LITE



ET-9009
SOLAR LANTERN
WITH MP3 PLAYER

SOLAR POWER BANK

AK-PW-S20000D

WITH USB TORCH

Capacity: 20000mAh

Input: DC 5V - 2.0A

Output 1: DC 5V- 2.0A

Output 2: DC 5V - 2.0A

Solar Power: 2W



SAFE LOCKERS



SAFE FIRE FILING CABINETS

FIRE RESISTANT FILING CABINETS

BIF Fire resistant cabinets provide maximum protection for your documents and records.



BIF-400

BIF-300

BIF-200



OPTION FOR LOCK SYSTEM



- KEY
- C-DIAL - Combination Lock for Changing Number (password changeable dial)

Model No.	H x W x D (mm)	Weight
BIF-200	820x540x680	170/374
BIF-300	1175x540x680	245/539
BIF-400	1530x540x680	320/704

	H x W x D (mm)	Capacity
DRAWER SIZE	282x387x516	56.31

HOME SAFES

FIRE RESISTIVE SAFE

For Personal and Home Use

OPTION FOR LOCK SYSTEM



- KEY
- DIAL - Combination Lock (Non-Changeable Password Dial)

OPTION FOR LOCK SYSTEM



- KEY
- DIGITAL LOCK



BSD-310



BSD-360



BST-310



BST-360



BST-500

Model No.	Outside H x W x D (mm)	Inside H x W x D (mm)	Weight	Capacity	Drawer
BSD-310 / BST-310	310 x 420 x 355	204 x 314 x 236	37kg / 81Lbs	15.12 ℓ	1pc
BSD-360 / BST-360	360 x 490 x 425	236 x 381 x 306	57kg / 125Lbs	27.51 ℓ	1pc
BST-500	500 x 350 x 425	381 x 236 x 306	57kg / 125Lbs	27.51 ℓ	1pc

OFFICE SAFES

FIRE RESISTANT FILING CABINETS

The best protection of your documents and valuables against the threat of fire and burglary.



BSD-1600



BSD-1400



BSD-1200



BSD-750



BSD-670



BSD-610

OPTION FOR LOCK SYSTEM



- HANDLE
- KEY
- DIAL - Combination Lock (Non-Changeable Password Dial)



BST-1600



BST-1400



BST-1200



BST-750



BST-670



BST-610

OPTION FOR LOCK SYSTEM



- HANDLE
- KEY
- DIGITAL LOCK

Model No.	Outside H x W x D (mm)	Inside H x W x D (mm)	Weight	Capacity	Drawer	Shelf
BSD-610 / BST-610	610x500x470	410x360x310	93kg / 205Lbs	45.76 ℓ	1pc	1pc
BSD-670 / BST-670	670x500x470	470x360x310	105kg / 231Lbs	52.45 ℓ	1pc	1pc
BSD-750 / BST-750	750x530x510	550x390x345	140kg / 308Lbs	74.00 ℓ	1pc	1pc
BSD-1200 / BST-1200	1185x700x630	945x530x460	270kg / 594Lbs	230.39 ℓ	1pc	2pcs
BS-D1400 / BST-1400	1385x700x630	1145x530x460	335kg / 737Lbs	279.15 ℓ	1pc	3pcs
BSD-1600 / BST-1600	1585x800x630	1345x630x460	425kg / 935Lbs	389.78 ℓ	1pc	3pcs



MULTI CURRENCY COUNTING MACHINE

2 CIS TECH

Ensure High Accuracy No Matter Brand New or Worn Bill
11 Counterfeit Detection Methods

- Hopper Capacity: 500 Bills
- Stacker Capacity: 200 Bills Counting
- Speed: 900pcs/Minute (MDC SDC & CNT MODE)
- 900, 1200, 1500pcs/Minute (CTN MODE only)
- Dimension: 279 x 250 x 247mm
- Power Supply: AC 100-240V 50-60Hz
- Size of Countable Notes: 50 x 110-90 x 190mm
- Thickness of Countable Notes: 0.075-0.15mm
- Power Consumption: ≤80W
- Reject Stacker Capacity: Approximate 50 notes

AL-950



LAPTOP BAG



LAPTOP BAG

N2722

Material: Polyester + PU
Unit Package: OPP Bag + Hangtag
Product Size: 58 x 45 x 39CM
(suitable for up to 14" laptops)
Color: Dark Gray
Weight: 0.4KG



- The front pocket has 2 magnetic buttons & the lining is made of polyester, it has one zipper.
- The zipper of the main bag has 2 pullers & the lining is made of polyester, they're all one layer.
- Comfortable carrying strap for convenient carrying
- Fashionable Hardware Smooth Zipper Slippery without Jamming
- Large capacity: can accommodate laptops, mobile phones, books, calculators, etc...

LAPTOP BAG

N1684A

Material: PU + EVA
Unit Package: OPP Bag + Hangtag
Product Size: 40x 6 x 30CM
(suitable for up to 15.6" laptops)
Color: Black
Weight: 1.1KG



- The N1684A has one zipper & two pullers, The materials of the lining are velvet, PP board, and mesh fabric.
- There are 5 layers & a total of 6 pockets.
- Durable fabric & large capacity space.
- The horizontal design is suitable for storing 14inches laptops, handheld & diagonal
- Two way computer bag.

LAPTOP SLEEVE

N1136

Material: Polyester
Unit Package: OPP Bag + Hangtag
Product Size: 37.5 x 2.8 x 27.5CM
(suitable for up to 14" laptops)
Color: Gray
Weight: 0.26KG



- The front bag is lined with polyester, & the main bag is lined with memory foam, all in one layer & it has 2 zippers
- Built-in shockproof air cushion insulation layer that can help to reduce the damage of vibration to the computer
- The large capacity accessory compartment of the bag can fully accommodate electrical accessories such as phones & mouse.
- Practicality & portability, The atmospheric appearance also adds to the temperament

LAPTOP BACKPACK

N2341

Material: Polyester + Micro Fiber
Unit Package: OPP Bag + Hangtag
Product Size: 29 x 16 x 47CM
(suitable for up to 15.6" laptops)
Color: Dark Gray
Weight: 0.84KG



- The N2341 has 3 zippers & the lining is made of polyester material.
- The zipper of the main bag has 2 pullers, with 4 layers inside & a total of 5 pockets, Durable fabric & large capacity space.
- Firm & wear-resistant, suitable for long-term use, The back is made of breathable mesh material.

LAPTOP BACKPACK

N2281

Material: Polyester
Unit Package: OPP Bag + Hangtag
Product Size: 30 x 13 x 45CM
(suitable for up to 15.6" laptops)
Color: Dark Blue
Weight: 0.99KG



- N2281 has one zipper, the small pocket on the front is Velcro, & the lining is made of polyester material.
- The main bag is anti-theft design, with 2 magnetic buttons, 2 pullers, & 4 layers inside, totaling 5 pockets.
- Durable fabric & large capacity space, Firm & wear-resistant, suitable for long-term use, The back is made of breathable mesh material.

CURTAIN RODS



MODERN DOORKNOB LOOK CURTAIN ROD SET

STANDARD DRAPERY ROD WITH ADJUSTABLE LENGTH

- Adjustable Brackets & Hardware included
- Multiple color scheme



- CSW-21059BN2 - Brushed Nickel
- CSW-21059BG2 - Brushed Gold
- CSW-21059AB2 - Antique Bronze

- CSW-21059BN3 - Brushed Nickel
- CSW-21059BG3 - Brushed Gold
- CSW-21059AB3 - Antique Bronze

- CSW-21059BN3-D - Brushed Nickel
- CSW-21059BG3-D - Brushed Gold
- CSW-21059AB3-D - Antique Bronze

UNIT: Single Rod Set
 ROD LENGTH: 200 CM
 DIAMETER: 2.54
 FINIAL MATERIAL: Polyresin
 ROD MATERIAL: Metal
 PACKAGE CONTENT: 2 Finials
 2 Rods
 3 Brackets
 6 Screws
 6 Anchors

Single Rod Set
 300 CM
 2.54 CM
 Polyresin
 Metal
 2 Finials
 4 Rods
 4 Brackets
 8 Screws
 8 Anchors

Double Rod Set
 300 CM
 2.54 CM
 Polyresin
 Metal
 2 Finials
 4 Rods
 4 Brackets
 8 Screws
 8 Anchors

MODERN SIMPLE DESIGN CURTAIN ROD SET

STANDARD DRAPERY ROD WITH ADJUSTABLE LENGTH

- Adjustable Brackets & Hardware included
- Multiple color scheme



- CSW-19M155MB2 - Matte Brown
- CSW-19M155GRA2 - Graphite
- CSW-19M155BG2 - Brushed Gold
- CSW-19M155BN2 - Brushed Nickel

- CSW-19M155MB3 - Matte Brown
- CSW-19M155GRA3 - Graphite
- CSW-19M155BG3 - Brushed Gold
- CSW-19M155BN3 - Brushed Nickel

UNIT: Single Rod Set
 ROD LENGTH: 200 CM
 DIAMETER: 2.22 CM
 FINIAL MATERIAL: ABS
 ROD MATERIAL: Metal
 PACKAGE CONTENT: 2 Finials
 2 Rods
 3 Brackets
 6 Screws
 6 Anchors

Single Rod Set
 300 CM
 2.22 CM
 ABS
 Metal
 2 Finials
 3 Rods
 3 Brackets
 6 Screws
 6 Anchors



- CSW-19M197MB2 - Matte Brown
- CSW-19M197GRA2 - Graphite
- CSW-19M197BG2 - Brushed Gold
- CSW-19M197BN2 - Brushed Nickel

- CSW-19M197MB3 - Matte Brown
- CSW-19M197GRA3 - Graphite
- CSW-19M197BG3 - Brushed Gold
- CSW-19M197BN3 - Brushed Nickel

UNIT: Single Rod Set
 ROD LENGTH: 200 CM
 DIAMETER: 2.22 CM
 FINIAL MATERIAL: ABS
 ROD MATERIAL: Metal
 PACKAGE CONTENT: 2 Finials
 2 Rods
 3 Brackets
 6 Screws
 6 Anchors

Single Rod Set
 300 CM
 2.22 CM
 ABS
 Metal
 2 Finials
 3 Rods
 3 Brackets
 6 Screws
 6 Anchors

HOME & BED LINENS



STRIPE SOFT COMFORTER

COMFORTER SINGLE 3PC SET	COMFORTER QUEEN 4PC SET	COMFORTER KING 4PC SET
1 Comforter 160x220cm 1 Flat Sheet 160x220cm 1 Pillow Case 50x75+15cm	1 Comforter 220x240cm 1 Flat Sheet 220x240cm 2 Pillow Case 50x75+15cm	1 Comforter 230x260cm 1 Flat Sheet 230x260cm 2 Pillow Case 50x75+15cm

- FABRIC: 1 CM STRIPE 95GSM SOFT MICROFIBER 100% POLYESTER
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER



Colors Available:



COTTON SOFT COMFORTER

COMFORTER SINGLE 3PC SET	COMFORTER QUEEN 4PC SET	COMFORTER KING 4PC SET
1 Comforter 160x220cm 1 Flat Sheet 160x220cm 1 Pillow Case 50x75+15cm	1 Comforter 220x240cm 1 Flat Sheet 220x240cm 2 Pillow Case 50x75+15cm	1 Comforter 240x260cm 1 Flat Sheet 240x260cm 2 Pillow Case 50x75+15cm

- FABRIC: 250THREAD COUNT SATEEN 100% COTTON (Available in Plain & Stripe)
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER



Colors Available:



DOBBY BOX SATEEN COMFORTER

COMFORTER SINGLE 3PC SET	COMFORTER QUEEN 4PC SET	COMFORTER KING 4PC SET
1 Comforter 160x220cm 1 Flat Sheet 160x220cm 1 Pillow Case 50x75+15cm	1 Comforter 220x240cm 1 Flat Sheet 220x240cm 2 Pillow Case 50x75+15cm	1 Comforter 240x260cm 1 Flat Sheet 240x260cm 2 Pillow Case 50x75+15cm

- FABRIC: 250THREAD COUNT SATEEN DOBBY BOX 100% COTTON
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER



Colors Available:



REVERSIBLE COMFORTER

COMFORTER SINGLE 3PC SET	COMFORTER QUEEN 3PC SET	COMFORTER KING 3PC SET
1 Comforter 160x220cm 1 Flat Sheet 160x220cm 1 Pillow Case 50x75+15cm	1 Comforter 220x240cm 1 Flat Sheet 220x240cm 1 Pillow Case 50x75+15cm	1 Comforter 230x260cm 1 Flat Sheet 230x260cm 1 Pillow Case 50x75+15cm

- FABRIC: 1 CM STRIPE 95GSM SOFT MICROFIBER 100% POLYESTER
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER



Colors Available:



STRIPE SOFT DUVET COVER



DUVET COVER SINGLE 3PC SET

1 Duvet Cover 160x220cm
2 Pillow Case 50x75+15cm

DUVET COVER QUEEN 3PC SET

1 Duvet Cover 220x240cm
2 Pillow Case 50x75+15cm

DUVET COVER KING 3PC SET

1 Duvet Cover 230x260cm
2 Pillow Case 50x75+15cm

- FABRIC: 1 CM STRIPE 95GSM SOFT MICROFIBER 100% POLYESTER
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER

Colors Available:



STONE

BRONZE

SILVER

IVORY

CREAM

COTTON SOFT DUVET COVER



DUVET COVER SINGLE 3PC SET

1 Duvet Cover 160x220cm
2 Pillow Case 50x75+15cm

DUVET COVER QUEEN 3PC SET

1 Duvet Cover 220x240cm
2 Pillow Case 50x75+15cm

DUVET COVER KING 3PC SET

1 Duvet Cover 240x260cm
2 Pillow Case 50x75+15cm

- FABRIC: 250THREAD COUNT SATEEN 100% COTON (Available in Plain & Stripe)
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER

Colors Available:



STONE

BRONZE

SILVER

CREAM

DOBBY BOX SATEEN DUVET COVER



DUVET COVER SINGLE 3PC SET

1 Duvet Cover 160x220cm
2 Pillow Case 50x75+15cm

DUVET COVER QUEEN 3PC SET

1 Duvet Cover 220x240cm
2 Pillow Case 50x75+15cm

DUVET COVER KING 3PC SET

1 Duvet Cover 240x260cm
2 Pillow Case 50x75+15cm

- FABRIC: 250THREAD COUNT SATEEN DOBBY BOX 100% COTTON
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER

Colors Available:



INDIGO

SAGE
GREEN

GREY

BEIGE

CREAM

DOBBY BOX SATEEN FLAT SHEET



FLAT SHEET SINGLE 3PC SET

1 Flat Sheet 160x220cm
2 Pillow Case 50x75+15cm

FLAT SHEET QUEEN 3PC SET

1 Flat Sheet 220x240cm
2 Pillow Case 50x75+15cm

FLAT SHEET KING 3PC SET

1 Flat Sheet 240x260cm
2 Pillow Case 50x75+15cm

- FABRIC: 250THREAD COUNT SATEEN DOBBY BOX 100% COTTON
- FILLING: 250g HOLLOW CONJUGATED POLYESTER FIBER

Colors Available:



INDIGO

SAGE
GREEN

GREY

BEIGE

CREAM

FLANNEL FLEECE BLANKET

SINGLE

DOUBLE

150x220CM

200x220CM

- FABRIC: 260GSM FLANNEL FLEECE BLANKET 100% POLYESTER
- COLORS: CYAN, BLUE, METALLIC GOLD, FUSCHIA ROSE, GREY, IVORY CREAM, PEACOCK BLUE, ROSE GARNET



QUILTED PILLOW QUEEN

PLWQT80

- SIZE: 45x70CM
- FABRIC: 90GSM MICROFIBER 100% POLYESTER
- FILLING: 800GRAM 50% HOLLOWFIBER 50% MICROFIBER
- COLOUR & DESIGN: WHITE / SMALL DIAMOND QUILT



QUILTED PILLOW QUEEN

PLWQT90

- SIZE: 45x70CM
- FABRIC: 90GSM MICROFIBER 100% POLYESTER
- FILLING: 900GRAM 50% HOLLOWFIBER 50% MICROFIBER
- COLOUR & DESIGN: WHITE / SMALL DIAMOND QUILT



ULTRASONIC QUILTED PILLOW QUEEN

PLWQ90

- SIZE: 50x70CM
- FABRIC: 90GSM MICROFIBER 100% POLYESTER
- FILLING: 900GRAM 50% HOLLOWFIBER 50% MICROFIBER
- COLOUR & DESIGN: WHITE / SMALL DIAMOND QUILT
THREADLESS LASER QUILT



ULTRASONIC QUILTED PILLOW QUEEN

PLWQ100

- SIZE: 50x70CM
- FABRIC: 90GSM MICROFIBER 100% POLYESTER
- FILLING: 1000GRAM 50% HOLLOWFIBER 50% MICROFIBER
- COLOUR & DESIGN: WHITE / SMALL DIAMOND QUILT
THREADLESS LASER QUILT



LUXURY STRIPE WITH SINGLE PIPPING

PILLOW QUEEN

PLWSTRS

- SIZE: 50X70CM
- FABRIC: 1 CM STRIPE 90GSM SOFT MICROFIBER 100% POLYESTER
- FILLING: 1000GRAM 50% HOLLOWFIBER 50% MICROFIBER
- COLOUR & DESIGN: WHITE / 1CM STRIPE



LUXURY STRIPE WITH DOUBLE PIPPING

BOX PILLOW QUEEN

PLWSTRB

- SIZE: 50x70CM
- FABRIC: 1 CM STRIPE 90GSM SOFT MICROFIBER 100% POLYESTER
- FILLING: 1200GRAM 70% HOLLOWFIBER 30% MICROFIBER
- COLOUR & DESIGN: WHITE / 1CM STRIPE



LUXURY WITH DOUBLE PIPPING

BOX PILLOW QUEEN

PLW233B

- SIZE: 50X70+5CM
- FABRIC: 233THREAD COUNT DOWNPROOF 100% COTTON
- FILLING: 1200GRAM 100% MICROFIBER
- COLOUR & DESIGN: WHITE



LUXURY DOBBY WITH SINGLE PIPPING

PILLOW QUEEN

PLWSDOBS

- SIZE: 50x70CM
- FABRIC: 250THREAD COUNT DOBBY BOX SATEEN 100% COTTON
- FILLING: 1000GRAM 70% HOLLOWFIBER 30% MICROFIBER
- COLOUR: WHITE, GREY, SAGE GREEN, IVORY CREAM



LUXURY DOBBY WITH DOUBLE PIPPING

BOX PILLOW QUEEN

PLWSDOBB

- SIZE: 50x70+5CM
- FABRIC: 250THREAD COUNT DOBBY BOX SATEEN 100% COTTON
- FILLING: 1200GRAM 70% HOLLOWFIBER 30% MICROFIBER
- COLOUR: WHITE, GREY, SAGE GREEN, IVORY CREAM





SAMPRA

APPORTE LE LUXE À VOTRE VIE...

CATALOGUE

YEAR 2024